

### **Ready**Cell

# FamilyTake

Test drug-transporter interactions with ready-to-use HEK293 cells expressing uptake carriers





## ReadyCell Easing your Screening

Streamline your preclinical research with our ready-to-use HEK293 cell-based plates, designed to facilitate the assessment of drug-transporter interactions. Ideal for *in vitro* studies of new compounds, these plates come differentiated.



Ready-to-use technology



Full cell functionality after transportation



Suitable for high-throughput automated processes



Shipments at room temperature




Versatile and reproducible between batches



Results accepted by the regulatory agencies

### The uptake family members



PreadyTake has been designed in a 96-well plate format with 11day differentiated MATE1, OCT2 and OATP1B3-overexpressing HEK293 cells. The plate can also contain wild type line, seeded with cells transfected with the empty vector.



### Pready Take MATEI

Drug-transporter interactions involving MATE1 may compromise drug renal clearance and biliary excretion.



### Pready Take OCT2

The OCT2 transporter carries a wide range of different solutes across biological membranes being especially relevant for those drugs that are renally excreted.




### Pready Take OATP1B3

Because of these transporters' prominent expression on the sinusoidal membrane of hepatocytes, OATP1B3 represents a critical mechanism for the uptake of drugs into the liver.

### Customize your plate multiple transporters

Customize your plate by combining HEK293 cells overexpressing uptake transporters according to the assay requirements.



#### **Discover other applications**

- MATE1, OCT2 and OATP1B3 substrates, inhibitors and inducers
- Uptake transporter-based drug-drug interactions (concomitantly administered drugs)
- Competitive inhibition (unexpected drug elimination)

#### To find out more:

Visit medtechbcn.com/readycell/products/ or scan the QR code.



medtechbcn.com

# Supplying worldwide shipments

We customize our production schedule to accommodate your chosen assay week. Following order placement, plates are dispatched two weeks later. You will receive a confirmation email upon shipment containing all technical and tracking details.

Our patented technology, the Shipping Medium, ensures cell viability during transportation at room temperature up to seven days.



<b>o</b>	•	•	•	<b></b> O
2 weeks in advance	Monday/ Tuesday	24 - 96h	Friday	Following Monday
		Delivery	Shipping	
Plates production	Packaging & shipment	24-48h EU 48-96h world	medium liquefaction	Assay

medtechbcn.com

### Customer satisfaction our client reviews



We have found ReadyCell to be a professional service, with good batch quality of cells. Shipment takes a matter of days and we can use the barriers over a 5-day window once they arrive in the lab.

#### CN Bio Innovations (UK)

The assay-ready plates provide a convenient and reliable solution for bidirectional permeability studies, allowing us to focus our resources on experimental design and data analysis.



#### Dalriada Drug Discovery (Canada)



Ease of ordering, consistent results, and a high-quality product for when we aren't able to use our own in-house cells.

LabCorp Drug Development (USA)

#### Need extra help?

We are at your service. Whether you need technical advice or help with purchases, our commercial and technical teams are prepared to offer the assistance you require. Additionally, the orders include:

- 🔹 User's manual
- Calculations template
- Quality controls



#### CONTACT US

+34 93 403 70 77 reagents@medtechbcn.com medtechbcn.com

Barcelona Science Park Carrer de Baldiri Reixac, 10 08028 Barcelona, Spain

